

NASA Risk and Safety Culture:

Minimizing the Risk of Catastrophe by Bringing the Lessons of Space Home

NASA is challenged with integrating cutting-edge risk management practices and techniques throughout a large organization with an extraordinarily diverse mission. This presentation details how past mission and institutional failures helped NASA establish a safety culture and a uniform risk management environment. This presentation will also explore:

- How the loss prevention industry has influenced NASA's approach to sustaining its unique, yet aging, infrastructure.
- How the lessons learned at NASA can augment and enhance the strong operational risk management capabilities that already exist within hazardous industries.
- How NASA's safety capabilities have been specifically developed to minimize the risk of loss of life and loss of mission
- Moving beyond the use of historical data - specifically:
 - Proactive and predictive: designed to give you the information you need when you need it, not when it's too late.
 - Designed to flag warnings early: Before catastrophic events occur.
 - Demonstrated: These capabilities have been used at NASA for years.



NASA Risk and Safety Culture: Minimizing the Risk of Catastrophe by Bringing the Lessons of Space Home

*David Loyd
Johnson Space Center
Safety & Test Operations*

February 8, 2017


**OPERATIONAL
EXCELLENCE
& RISK MANAGEMENT**



NASA Johnson Space Center
HOUSTON, TEXAS



Words of Wisdom



"It can only be attributable to human error."
-- HAL 9000 (2001: A Space Odyssey)



NASA Risk and Safety Culture

- **NASA's Losses in Space and on the Ground**
 - Failure is not an option we choose, but it is a reality we must face....
- **The Impact of Human Factors on Mishaps**
- **Human Error Integrated in Risk Assessment**
 - Acknowledging human frailty and modeling error probabilities.
- **NASA's Safety Culture – Minimizing the Risk Environment**
 - Reducing error by cultivating skill-based behavior.
 - Bolstering trust throughout operations.
 - Measuring safety culture growth.

NASA's Losses

Recent Mission Mishaps



**NOAA N-Prime,
September 6,
2003:**

- \$135 Million vehicle damage;
- 5.5 year mission impact.




Columbia STS-107, February 1, 2003:

- 7 fatalities;
- \$3 Billion vehicle loss;
- 2.5 year mission impact.



Genesis, September 8, 2004:

- Some sample retrieval materials lost.



DART, April 16, 2005:

- Proximity operations mission objectives lost.

OCO, February 24, 2009:

- \$280 Million vehicle loss;
- 5+ year mission impact.




**Glory, March 4,
2011:**

- \$424 Million vehicle loss;
- ??? mission impact.



NASA's Losses

Recent Institutional Mishaps



KSC Roofing Fatality, March 17, 2006

- Subcontractor died from head injuries suffered due to fall.




MSFC Freedom Star Tow-wire Injury, December 12, 2006

- Hospitalization due to internal injuries from impact with SRB tow-wire.

JSC Chamber B Asphyxiation, July 28, 2010

- Shoulder injury due to asphyxiation and fall.



WFF CNC Injury, October 28, 2010

- Sub-dermal tissue damage due to impact from machine tool shrapnel.





What is the impact of Human Factors?

- **Estimates range from 65-90% of catastrophic mishaps are due to human error.**
 - NASA's human factors-related mishaps causes are estimated at ~75%
- **As much as we'd like to error-proof our work environment, even the most automated and complex technical endeavors require human interaction...and are vulnerable to human frailty.**
- **Industry and government are focusing not only on human factors integration into hazardous work environments, but also looking for practical approaches to cultivating a strong Safety Culture that diminishes risk.**


Some Risk Measurement Philosophy...

As much as we'd like to be able to predict error, the reality is that we must measure known performance characteristics to identify vulnerabilities, mitigate greatest risk, and enable prudent response to the next accident.



High Risk Occupations vs. Space Flight

Person-Fatality Risk Per Year



Miner risk does not include fatalities due to chronic illnesses like “black lung.”

Risk increases as “drill down” into smaller and smaller groups that drive the risk.

Shuttle Astronaut risk is a very small group that has high risk.






NASA's Risk Assessment Concepts & Requirements

Risk Informed Decision-Making (RIDM)* involves:

- (1) Identification of decision alternatives, recognizing opportunities where they arise, and considering a sufficient number and diversity of performance measures to constitute a comprehensive set for decision-making purposes.***
- (2) Risk analysis of decision alternatives to support ranking.***
- (3) Selection of a decision alternative informed by (not solely based on) risk analysis results.***



* NPR 8000.4, *Agency Risk Management Procedural Requirements*

Risk Scorecard



LIKELIHOOD RATING			
L I K E L I H O O D	5	Very Likely	Expected to happen. Controls have minimal to no effect.
	4	Likely	Likely to happen. Controls have significant limitations or uncertainties.
	3	Possible	Could happen. Controls exist, with some limitations or uncertainties.
	2	Unlikely	Not expected to happen. Controls have minor limitations or uncertainties.
	1	Highly Unlikely	Extremely remote possibility that it will happen. Strong controls in place.



JSC RISK MATRIX						
L I K E L I H O O D	5					
	4					
	3					
	2					
	1					
		1	2	3	4	5
Consequences						




SEVERITY	
■	High – Mitigate; implement new processes, change requirements, or re-baseline
■	Moderate – Manage/consider alternative processes, or Accept
■	Low – Manage within normal processes; or Close



CONSEQUENCE	Subcategories	1	2	3	4	5
HSE (Health, Safety, Environment)	Personnel	Minor injury; Minor OSHA violation	Short-term injury; Moderate OSHA violation	Long-term injury, impairment or incapacitation; Significant OSHA violation	Permanent injury or incapacitation; Major OSHA violation	Loss of life
	System, Facility	Minor damage to asset	Moderate impact or degraded performance	Loss of non-critical asset	Damage to a critical asset	Loss of critical asset or emergency evacuation
	Environment	Minor or non-reportable hazard or incident	Moderate hazard or reportable violation	Significant violation; Event requires immediate remediation	Major violation; Event causes temporary work stoppage	Catastrophic hazard
TECHNICAL	Performance	Minor impact to mission objectives or requirements	Incomplete compliance with a key mission objective	Noncompliance; Significant impact to mission	Noncompliance; Major impact on Center or Spaceflight mission	Failure to meet mission objectives
CENTER CAPABILITIES	Infrastructure	Minor impact or reduced effectiveness	Moderate impact or damage to infrastructure	Significant damage to infrastructure or reduced support	Mission delays or major impacts to Center operations	Extended loss of critical capabilities
	Workforce	Minor impact to human capital	Moderate impact to human capital	Significant impact; Loss of critical skill	Major impact; Loss of skill set	Loss of Core Competency
COST	Organizational or CMO Impact	<2% Budget increase or <\$1M CMO Threat	2-5% Budget increase or \$1M-\$5M CMO Threat	5-10% Budget increase or \$5M-10M CMO Threat	10-15% Budget increase or \$10M-\$60M CMO Threat	>15% Budget increase or >\$60M CMO Threat;
SCHEDULE	--	Minor milestone slip	Moderate milestone slip; Schedule margin available	Project milestone slip; No impact to a critical path	Major milestone slip; Impact to a critical path	Failure to meet critical milestones



Institutional Risk Management




Legend

- ▲ Top Center Risk (TCR)
- △ Proposed Top Center Risk (Proposed TCR)

L x C	Title (Notional Risk Titles)	Org	L I K E L I H O O D	Consequence				
				C e n t e r	S C H E D	C O S T	H S E	T E C H
3 x 4	▲ Test system maintenance	##	3	2	2	4	4	2
4 x 5	▲ Mission essential resource limitations	##	4	4	5	2	1	4
4 x 3	▲ Equipment End-of-Life	##	4	3	1	1		3
4 x 3	▲ Building Refurbishments	##	4	3	3	1	1	2
5 x 5	▲ Comm Systems End-of-Life	##	5	5	4	3	5	5
4 x 4	▲ Building Maintenance Shortfall	##	4	3	3	4	2	2
3 x 4	▲ Aerospace abatement	##	3	2	3	2	4	3
4 x 4	▲ Capability Threat	##	4	4	3	1		4
4 x 4	▲ Water System-Repairs/Upgrades	##	4	4	4	4	2	3
5 x 4	△ Research equipment failure threat	##	5		4	4		4

Probabilistic Risk Assessment (PRA)

- PRA integrates models based on systems engineering, probability and statistics, reliability and maintainability engineering, physical and biological sciences, decision theory, and expert opinion.
- PRA is needed when decisions need to be made that involve high stakes in a complex situation.
- The collection of risk scenarios allows the dominant risk factors to be identified, then modified or eliminated to improve the probability of success.




Representing the World via Bayesian Inference.

Human Reliability Analysis (HRA) Integration with Probabilistic Risk Assessment (PRA)



- In the PRA context, HRA is the assessment of the reliability and risk impact of the interactions of humans on a system or a function.
- For situations that involve a large number of human-system interactions, HRA becomes an important element of PRA to ensure a realistic assessment of the risk.
- In general, the Human Reliability Analysis process has a number of distinct steps, as shown below:



Adapted from NASA/SP-2011-3421, Probabilistic Risk Assessment Procedures Guide for NASA Managers and Practitioners

Performance Shaping Factors (PSF)

- PSFs impact human performance in a variety of ways, such as intelligence, expertise, emotion, harsh conditions, conflicting orders, etc.
- PSFs are incorporated into HRA error modeling, accommodating anticipated human interaction with critical tasking.
- We work to minimize the affects of PSFs, but our expectation of performance must acknowledge their potential impact to operations.





Minimizing Human Error and Cultivating a Reduced Risk Environment

Rasmussen's 3 Human Responses to Operator Information Processing

1. **Skill-based:** requires little or no cognitive effort.
2. **Rule-based:** driven by procedures or rules.
3. **Knowledge-based:** requires problem solving/decision making.




"The fewer rules a coach has, the fewer rules there are for players to break."

John Madden

"Successful design is not the achievement of perfection but the minimization and accommodation of imperfection."

Henry Petroski

Trust and Transparency Builds Common Risk Tolerance





How Safety Culture Promotes Operational Excellence



- **By advocating a pervasive Safety Culture, we can provide our workforce with:**
 - Clear emphasis on continuous learning;
 - Encouragement to develop intuitive personal values;
 - Guidelines for decision-making behavior that focuses on long-term success;
 - Reinforcement to build trust by reporting and communicating concerns and ideas.
- **Practicing an effective Safety Culture:**
 - Builds Skill-based and Knowledge-based response mechanisms;
 - Reduces the emphasis on Rule-based response;
 - And breaks down barriers to Trust.



NASA's Safety/Risk Culture Model

“An environment characterized by safe attitudes and behaviors modeled by leaders and embraced by all that fosters an atmosphere of open communication, mutual trust, shared safety values and lessons, and confidence that we will balance challenges and risks consistent with our core value of safety to successfully accomplish our mission.”

An effective safety culture is characterized by the following subcomponents:

Reporting Culture - We report our concerns

Just Culture - We have a sense of fairness

Flexible Culture - We change to meet new demands

Learning Culture - We learn from our successes and mistakes

Engaged Culture - Everyone does his or her part

January 25, 2017



Catastrophic Event Impact

Using the Safety Culture Model to Analyze NASA's History



Apollo 1 – January 27, 1967

Reporting Culture – Procedures were subjected to last-minute changes that were not effectively tracked, recorded or communicated.

Just Culture – Poor morale and process discipline were evident in Command Module contractor performance prior to the incident.

Flexible Culture – Willingness to change course on design issues was weak in the presence of compelling important information.

Learning Culture – Test planning failed to appreciate the significant hazards of a 100% oxygen environment.

Engaged Culture – NASA provided insufficient surveillance over management functions.



Catastrophic Event Impact

Using the Safety Culture Model to Analyze NASA's History

Apollo 13 – April 13, 1970

Reporting – Incomplete and sometimes incorrect information was used in problem solving.

Just – Absence of information on this factor attests to the general neglect at the time of organizational behavior as a key factor in mishaps.

Flexible – Demonstrated ability to adapt quickly to an emergency although flexibility prior to the mishap is unclear.

Learning – While safeguards had been implemented following the Apollo 1 fire, key aspects of design, workmanship, and material use remained vulnerable to oxygen flammability.

Engaged – Solutions immediately following the oxygen tank explosion represent an engaged team.



Catastrophic Event Impact

Using the Safety Culture Model to Analyze NASA's History



February 8, 2017

Challenger – January 28, 1986

Reporting – Ineffective problem reporting requirements and practices.

Just – Stifled communication regarding O-ring susceptibility to cold conditions.

Flexible – Launch concerns were dismissed in the face of significant schedule pressure.

Learning – Trend analysis was inadequate as evidenced by identification of a number of burn-through events which occurred prior to STS-51L.

Engaged – NASA management lacked involvement in critical discussions.

Catastrophic Event Impact

Using the Safety Culture Model to Analyze NASA's History



Columbia – February 1, 2003

Reporting – Foam shedding was a known problem, yet foam impact data was still being analyzed at the time of the flight, and not considered a serious hazard.

Just – Some engineers were reluctant to raise concerns when faced with a return of an “in God we trust - all others bring data” attitude.

Flexible – Like the Challenger mishap, the Shuttle Program was experiencing schedule pressure challenges.

Learning – With “normalization of deviance,” foam had become classified as “in-family” and as a negligible risk to the orbiter.

Engaged – “Echos” of the Challenger mishap were evident.

NASA Safety Culture Model Applied to Deepwater Horizon

Deepwater Horizon – April 20, 2010

Reporting – Procedures were subjected to last-minute distribution, last minute decision.

Just – Concerns of rig workers regarding test results were muted, not heeded or explored .

Flexible – All involved seemed prepared to exercise flexibility, but this may be indicative of insufficient process discipline.

Learning – Invalid confidence in new slurry, vents from Mud-Gas Separator (MGS) allowed gas to enter rig spaces, insufficient planning for contingencies.


Engaged – Incorrect reading of pressure tests, lack of recognition or timely control action related to kicks, diverted flow through MGS instead of overboard, reluctance to activate Blow-Out Preventer (BOP), reluctance to activate the Emergency Disconnect System, BOP testing and maintenance.






Measuring Safety Culture

2015 Safety Culture Survey Results



JSC R1 through R3 Comment Quality Analysis



“Quality” is equivalent to Likert Value associated with received comments.
 “Engagement” is the average number of comments per SCS participant.

Comment Temperature Perspectives

HOT

“Eliminate the recalcitrant dinosaur dictators”

WARM

“Emphasis on purpose of safety measures, not just filling out a form or checking a box.”

TEPID

“Watch out for everyone”
 “Communication”

COOL

“Keep doing what you are doing. We are constantly being reminded of Safety and its importance.”

The Path to Operational Excellence

- **NASA, like the other hazardous industries, has suffered very catastrophic losses.**
- **Human error will likely never be completely eliminated as a factor in our failures.**
- **Acknowledging human frailty and the potential for failure bolsters our ability to manage risks and mitigate the worst consequences.**
- **Building an effective Safety Culture bolsters skill-based performance that minimizes risk and encourages operational excellence.**





Backup Charts



Columbia STS-107, February 1, 2003:

7 fatalities;
\$3 Billion vehicle loss;
2.5 year mission impact.

Kalpana Chawla
Rick D. Husband
Laurel B. Clark
Ilan Ramon
Michael P. Anderson
David M. Brown
William C. McCool



February 8, 2017

David T. Loyd



NOAA N-Prime, September 6, 2003:

- \$135 Million vehicle damage;
- 5.5 year mission impact.






Genesis, September 8, 2004:

- Some sample retrieval materials lost.





**Orbiting Carbon Observatory,
February 24, 2009:**

- \$280 Million vehicle loss;
- 5+ year mission impact.

February 8, 2017



David T. Loyd

Glory, March 4, 2011:

- \$424 Million vehicle loss;
- ??? mission impact.



JSC Chamber B Asphyxiation, July 28, 2010

- Shoulder injury due to asphyxiation and fall.

